




*elegance like
never seen before*



**60
X
60
CM**

**GLOSSY
series**

MOVE ON WITH EXCLUSIVE FEATURES

TECHNICAL FEATURES:



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE

The surprising shine of the materials enhances the prestige and natural beauty of surfaces. We have created a timeless amazing collection that definitely meets contemporary design with unmatched elegance. Their colors and structures coordinate with one another spontaneously and are therefore always in harmony. The size range allows for enhancement of any space and offers the utmost design freedom for newly created modular solutions. These multi size installation patterns clad any surface with style and class.

600 X 600 MM

PGVT / GVT

COLLECTION



A Glimpse of Luxury

The tiles come in two main variations and are meant to reflect the true serenity of a space, whether it be on a wall or on a floor. Added to the marvelous designs, custom installation and handmade perfection, these tiles will surely make your space look more beautiful than ever before.





DESIGN :- 1023
RANDOM :- 04










DESIGN :- ANTIQUE ICE_2
RANDOM :- 04








DESIGN :- 20085
RANDOM :- 01







DESIGN :- ALBINO CREMA{2021}
RANDOM :- 02







DESIGN :- REGAL CARARA
RANDOM :- 07







DESIGN :- 1017_NEW SATVARIO
RANDOM :- 03








DESIGN :- 1030_valencia
RANDOM :- 03







DESIGN :- 1021
RANDOM :- 02








DESIGN :- 1005_NATURAL BEIGE
RANDOM :- 01







DESIGN :- 1025_UTOPIA WHITE
RANDOM :- 03







DESIGN :- 1024
RANDOM :- 04








DESIGN :- 1004_GOLD ONEYX
RANDOM :- 01







DESIGN :- 1009_Calcutta Stone
RANDOM :- 03







DESIGN :- 1008_CLOUDY
RANDOM :- 01







DESIGN :- 1032_Marfil Crema
RANDOM :- 03







DESIGN :- TALLINN BROWN(1018)
RANDOM :- 04







DESIGN :- CLASSIC WHITE(1046)
RANDOM :- 02







DESIGN :- 1022
RANDOM :- 02







DESIGN :- 104
RANDOM :- 04








DESIGN :- 1031_KENDO
RANDOM :- 04







DESIGN :- 1003_ARENA GOLD
RANDOM :- 01







DESIGN :- 1006_NATURAL PEAR
RANDOM :- 01







DESIGN :- TALLINN GREY(1019)
RANDOM :- 04








DESIGN :- 807_NICRO PLUS
RANDOM :- 03








EQ - 1036




EQ - 1035




EQ - 1033





EQ - 1028






EQ - 1016





EQ - 1027




EQ - 1029






EQ - 1039

EQ - 1038







EQ - 1037





EQ - 1040






EQ - 1080



EQ - 1014





EQ - 1034

TECHNICAL SPECIFICATION

S.NO.	PROPERTY	ISO 13006 / EN177 (GROUP BIIA)	FLOOR TILE VALUE	METHOD OF TESTING
1	DEVIATION IN LENGTH & WIDTH	±0.6%	±0.5%	ISO 10545-2
2	DEVIATION IN THICKNESS	±5%	±4%	ISO 10545-2
3	STRAIGHTNESS OF SIDES	±0.5%	±0.4%	ISO 10545-2
4	RECTANGULARITY	±0.6%	±0.2%	ISO 10545-2
5	SURFACE FLATNESS	±0.5%	±0.3%	ISO 10545-2
6	SURFACE QUALITY	MIN 95%	MIN 95%	ISO 10545-2
7	WATER ABSORPTION	3% - 6%	3% - 6%	ISO 10545-3
8	FLEXURAL STRENGTH (AVERAGE MOR)	> 22 N/MM2	> 22 N/MM2	ISO 10545-4
9	SCRATCH HARDNESS OF SURFACE (MOH'S SCALE)	> 3	4 TO 6	EN 101
10	RESISTANCE TO SURFACE ABRASION (PEI)	I - V	PEI II –V	ISO 10545-7
11	CRAZING RESISTANCE	2 CYCLES	2 CYCLES	ISO 10545-11
12	LINEAR THERMAL EXPANSION	<9 X 10-6 K-1	<9 X 10-6 K-1	ISO 10545-8
13	THERMAL SHOCK RESISTANCE	NO DAMAGE	NO DAMAGE	ISO 10545-9
14	RESISTANCE TO HOUSEHOLD CHEMICALS	RESISTANCE	RESISTANCE	ISO 10545-13
15	RESISTANCE TO STAINING	RESISTANCE	RESISTANCE	ISO 10545-14

PACKING DETAILS

TILES SIZE	PIECES/BOX	COVERAGE	WEIGHT/BOX
600X600 MM	4 PCS.	1.44 SQM	27.50 KGS

