

800
X 800 MM


2
0
2
2

Varnish

volark
TILES


Time to Inspire

We influence to make a change globally for the better and exemplary outcomes. Making you think about the timeless designs that brings a drastic effect of elegance to you place.





Reflection Of Nature




The Core Value

Big Tiles is a name to reckon with pride in the real estate development in Gujarat. We do not design merely a tiles. We design every square inch with impeccable quality. Every inch of it speaks aloud of our quality, success and commitment. Since 2008, we have developed more than 150, 00,000 square meters of tiles. This in itself is enough to prove our expertise. We believe that real success is not in earning money but in earning trust. And we are in proud possession of this treasure called trust of our valued customers. We understand that time is an essence. And that's why we tolerate no delays and have a record of timely delivery of all materials. With this, we have never compromised a bit in providing the finest quality with magnificent designs. Customer satisfaction is at the core of whatever we do.

Minimal Contemporary

Varnish' ceramic projects are part of a range of single calibre rectified modular sizes that allow for coordinated use of different collections.

Glisten has also exploited its stylistic sensibility to select the ideal colours and shades for these interesting new combinations of materials.



Size



SIZE
800X800MM



Specification



Resistant
To Scratches



Weather
Resistant



Compact
Material



Insulating



Extremely
Versatile

Application



Living Room



Kitchen



Outdoor



Hotel



Bathroom



Boutique

Production



Design

THINKING
BIG



Varnish

307



SIZE  800 X 800 MM



307

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **1 Pcs.**

Varnish

309



SIZE  800 X 800 MM



309

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **4 Pcs.**

Varnish

312



SIZE  800 X 800 MM



312

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

313



SIZE  800 X 800 MM



313

volark
TILES



Format


Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

3141



SIZE  800 X 800 MM



314

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

315



SIZE  800 X 800 MM



315

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **4 Pcs.**

Varnish

316



SIZE  800 X 800 MM



316

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

317



SIZE 800 X 800 MM



317

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **2 Pcs.**

Varnish

318




SIZE 800 X 800 MM



318

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

319



SIZE  800 X 800 MM



319

volark
TILES



Format

Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

CLOUDY
SKY




SIZE  800 X 800 MM



CLOUDY SKY

volark
TILES



Format


Size **800x800mm**

Surface **Polished**

Face **5 Pcs.**

Varnish

CARRARA GREY



SIZE  800 X 800 MM



CARRARA GREY



Format


Size **800x800mm**

Surface **Polished**

Face **3 Pcs.**

Varnish

331




SIZE  800 X 800 MM



331

volark
TILES



Format


Size **800x800mm**

Surface **Matt**

Face **8** Pcs.

Varnish

332




SIZE  800 X 800 MM



332

volark
TILES



Format

Size **800x800mm**

Surface **Matt**

Face **1** Pcs.

Varnish

333



SIZE  800 X 800 MM



333

volark
TILES



Format

Size **800x800mm**

Surface **Matt**

Face **3** pcs.

Varnish

334



SIZE  800 X 800 MM



333

volark
TILES



Format

Size **800x800mm**

Surface **Matt**

Face **10** Pcs.

Technical Specifications

Dimension & Surface Quality			
Characteristic	Test Method	International Std ISO 13006/EN 176 Group B1a	Value
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
Physical & Thermal Properties			
Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strenght	ISO-10545-11	> 1113N	> 1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
Chemical Properties			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

Packing Details				
Dimension (MM)	BOX PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	30Kgs.

Symbole

Production		
	Polished	Lorem Ipsum is simply dummy text of the printing and typesetting industry.
	Wall Tiles	Lorem Ipsum is simply dummy text of the printing and typesetting industry.
	Floor Tiles	Lorem Ipsum is simply dummy text of the printing and typesetting industry.
	Smooth	Lorem Ipsum is simply dummy text of the printing and typesetting industry.
	Rectified	Lorem Ipsum is simply dummy text of the printing and typesetting industry.



Varnish